



PRAISTON Sp. z o.o.
ul. Górowska 32
64-100 Leszno
Polska

Biuro: +48 65 527 01 67
Serwis: +48 782 844 000
Fax: +48 65 527 01 67

E-mail: biuro@praiston.pl

Koordinator ds. sprzedaży
Krzysztof Wybieralski
+48 882 762 006

kw@praiston.pl



EDAN DUS 60 Portable ultrasound scanner (Reconditioned)

- Reconditioned (used),
- Technical condition: very good,
- Visual condition: very good,
- Real photos of the product,
- Made in the PRC, (2015),
- Power supply: 230 V,
- Emergency power supply: through 1 new built-in Li-Ion 14.8 V / 6400 mAh battery,
- Frequency: 50/60 Hz,
- EDAN Model DUS 60 achieves high quality, sharp and clear images of the examined organ thanks to the latest technology. Specialized obstetric, small organ, abdominal, vascular and cardiovascular programs allow you to analyze the examinations performed with the digital ultrasound scanner. A new pulsed Doppler (PW) imaging function, gives the ability to measure the speed and direction of blood flow in vessels,
- High-resolution TFT monitor diag: 12.1",
- PW Doppler (pulsed Doppler), multi-pseudocolor,
- Digital processor,
- Digital filters to optimize image quality,
- Backlit keyboard with multifunction switches,
- Image description, comments, pictograms, patient information, date and time of examination,
- Monitor operating in non-interlaced mode,
- Device menu in Polish language,
- Programs for specialized examinations: abdominal, gynecological, obstetrical, orthopedic, urological, cardiology and small body parts,
- Real-time zoom,
- Internal memory of more than 5000 examinations, files with extension: .bmp or .jpg,
- Cineloop: 256 images,
- Print examinations on videoprinter or ordinary inkjet and laser printer,
- Recording of studies on pen
- Storage of examinations on a flash drive and in a PC,
- Ability to perform biopsies,
- Technical specifications:
 - Digital image enhancement: 16 levels, 8 TGC zones,
 - Edge sharpening, dynamic focusing,
 - Frequency processing in the range: from 2.5 to 9.4 MHz,
 - Infinitely adjustable examination depth: from 0 to 250 mm,
 - Resolution: from 0.1 mm,
 - Scanning angle: 30° - 155°,
 - Image mode: B, B+M, B+B, 4B, M and PW,
 - Gray scale: 256 levels,
 - Zoom: x1.0, x1.2, x1.4, x1.6, x2.0, x2.4, x3.0, x4.0 in real time,
 - Digital image optimization: TSI, THI, DBF, DRF, RDA, DFS, DA,
 - Sharpness: 16 levels, max. 4 focuses simultaneously,
 - Image conversion: grayscale, gamma correction, rejection, pseudo color, left/right, up/down,
 - Measurements: distance, area, circumference, volume, ratio, angles, ratios, % stenosis, heart rate, distance, time, slope, obstetric - BPD, CRL, GS, HC, AC, FL, EFW,
 - Slots: 2 head ports, videoprinter, VGA monitor, 2x USB (for inkjet or laser printer and for data storage on memory stick), RJ-45 (card for computer network),
- Selectable menus in the following languages: EN, CN, FR, DE, IT, PL, ES, PT, RU,
- Included:
 - Head mounting bracket,
 - Linear head L743-2: 6.5 / 7.5 / 8.5 / 9.0 / 9.4 MHz,
 - Convex head C361-2: 2.5 / 3.5 / 4.5 / 5.0 / 5.4 MHz,
 - User manual in English (PDF),
 - Power cord,
- Dimensions: 33 x 32 x 25.3 cm,
- Weight: 7.1 KG,
- It has a current inspection and is ready to use,
- Issued Technical Passport (Service Report) valid for a period of 12 months,
- Warranty:
 - 6-months for domestic market (Poland),
 - 3-months for the international market,
 - Possibility to extend the warranty up to 12-months for domestic and international market for a surcharge,
- Financing options (Poland only): Installments, Leasing, Loan,

If you have any questions, please do not hesitate to contact us!
In case you don't find the product you are interested in, please get in touch with us and we will do our best to find the perfect solution for YOU.

