

PRAISTON Sp. z o.o. ul. Górowska 32 64-100 Leszno Polska Biuro: +48 65 527 01 67 Serwis:+48 782 844 000 Fax: +48 65 527 01 67

E-mail: biuro@praiston.pl

Koordynator ds. sprzedaży Krzysztof Wybieralski +48 882 762 006

kw@praiston.pl



NBV 15 N LW germicidal lamp (New)

- · A brand new product,
- · Made in Poland,
- NBV 15 NLW direct-acting germicidal lamp with 4-field display timer,
- Equipped with a digital counter with a microprocessor that has a 4-field LED display. Care has been taken to ensure that this model audibly signals when the radiant heater is replaced,
- A big plus of this type of meter is that it can be independently connected to previously purchased direct-acting and flow lamps,
- The air and surface in the room where this lamp was used are effectively disinfected,

The use of the device:

- · Medical institutions,
- · Hospitals,
- · Pharmaceutical industry,
- · Food industry,
- Cosmetics industry,

Advantages of NBV 15 N LW germicidal lamp:

- Counter type: LW digital counter with a microprocessor with a 4-field LED display. Great care has been taken to ensure that this model audibly signals the moment of replacement of the radiator. A big plus of this type of the counter is the possibility of independent connection to previously purchased direct-acting and flow lamps,
 - · Mounting method: W wall-mounted,
 - Designed to raise and maintain the level of microbiological purity of rooms,
 - Emitted radiation: UV-C with a wavelength of 253.7 nm,
 - Irreversibly deactivate bacteria, viruses, molds, fungi and all other microorganisms.
 - The air and surface in the room where this lamp has been used are effectively disinfected,
 - · Reflector made of reflective aluminum of very high quality,
- Designed for the use in operating rooms, treatment rooms, bandaging rooms, patient rooms, clinics, laboratories, pharmacies, pharmaceutical, food and cosmetic industries,
 - Effectiveness of germicidal lamps confirmed by tests,
 - · All required certificates,

· Technical data:

- Wall mounted lamp,
- Supply voltage: 230 V 50 Hz,
- Power consumption: 18 W,
- UV-C emitting element: 2x15 W,
- UV-C irradiance at 1 m distance: 0.9 W / m2,
- · Radiant life: 9000 h,
- Disinfectable area: 6 8 m2,
- Lamp rotation (exposure angle can be adjusted): 200°,
- · Anti-schock safety class: I,
- Case type: IP 20,
- Operation type: continuous.
- Chamber's dimensions: 500 x 85 x 135 mm,
- · Chamber's weight: 2 kg,
- The extension's length: 120 mm,
- · Counter type: with 4-field display,
- It has a valid Technical Passport,
- Guarantee: 12 months,







www.praiston.pl 2022